

Rural, Wildland, Suburban & Resupply

The Flow Starts Here Powerful, Portable, Pumps Since 1908

Visit us at fire-pump.com



PFP-9hp-DSL

325 GPM @ 10 PSI 130 GPM @ 50 PSI 70 GPM @ 75 PSI



PFP-18hpVGD-1D

390 GPM @ 25 PSI 130 GPM @ 100 PSI 45 GPM @ 125 PSI



PFP-20hpHND-1D

550 GPM @ 10 PSI 310 GPM @ 50 PSI 130 GPM @ 100 PSI



PFP-11hp-HND-M

290 gpm at 10 PSI 120 gpm at 50 PSI 80 gpm at 100 PSI

# High-Portab



# Volume le Pumps



PFP-23hpVGD-2D

550 GPM @ 10 PSI 330 GPM @ 50 PSI 50 GPM @ 125 PSI

Visit us at fire-pump.com



PFP-9hpHND-EM

200 GPM @ 25 PSI 100 GPM @ 75 PSI 60 GPM @ 100 PSI



PFP-11hp-HND-EM

290 GPM @ 10 PSI 120 GPM @ 75 PSI 80 GPM @ 100 PSI



PFP-23hpVGD-1D

560 GPM @ 10 PSI 200 GPM @ 100 PSI 125 GPM @ 125 PSI



Since 1908

OUR PRODUCTS ARE DESIGNED IN USE OF FIRE AND EMERGENCY ENVIRONMENTS

The Flow Starts Here Powerful, Portable, Pumps

Call us at 800-567-2719


PFP-18hpVGD-2D

370 GPM @ 25 PSI 250 GPM @ 50 PSI 15 GPM @ 125 PSI



PFP-20hpHND-2D

485 GPM @ 10 PSI 300 GPM @ 50 PSI 210 GPM @ 75 PSI



#### **Skid Mounted Pumps**



SM-PFP-6hpHND-M-Twin

65 GPM @ 50 PSI 45 GPM @ 100 PSI 35 GPM @ 125 PSI



#### SM-PFP-11hpHND-M

190 GPM @ 50 PSI 120 GPM @ 75 PSI 80 GPM @ 100 PSI



#### SM-PFP-20hpHND-MR

180 GPM @ 100 PSI 125 GPM @ 150 PSI 60 GPM @ 200 PSI



#### SM-PFP-23hpVGD-MR

195 GPM @ 100 PSI 150 GPM @ 150 PSI 80 GPM @ 200 PSI



## SM-PFP-25hpDSL-MR (diesel engine)

230 GPM @ 100 PSI 145 GPM @ 150 PSI 105 GPM @ 175 PSI

#### Call us at 800-567-2719

#### Mid-Range Pumps / Forestry



PFP-20hpHND-MR 290 GPM @ 50 PSI 190 GPM @ 100 PSI 45 GPM @ 200 PSI



PFP-6hpHND-M-Twin
70 GPM @ 10 PSI
45 GPM @ 100 PSI
35 GPM @ 125 PSI



PFP-9hp HND-EM-Twin 70 GPM @ 10 PSI 55 GPM @ 100 PSI 40 GPM @ 125 PSI



PFP-18hpVGD-MR-CE 255 GPM @ 25 PSI 220 GPM @ 50 PSI 30 GPM @ 175 PSI



PFP-6hpHND-EM-Twin
70 GPM @ 10 PSI
45 GPM @ 100 PSI
35 GPM @ 125 PSI



PFP-25hp-DSL-MR 315 GPM @ 10 PSI 230 GPM @ 100 PSI 105 GPM @ 175 PSI



PFP-18hpVGD-MR 255 GPM @ 25 PSI 220 GPM @ 50 PSI 30 GPM @ 175 PSI



PFP-9hpHND-M-Twin
70 GPM @ 10 PSI
55 GPM @ 100 PSI
40 GPM @ 125 PSI



PFP-23hpVGD-MR 285 GPM @ 10 PSI 195 GPM @ 100 PSI 35 GPM @ 225 PSI



**Cart Pump** 

- Deliver water by placing the intake hose/strainer into a lake, pond, swimming pool etc.
- I The Cart Pump can deliver a fast fire fighting stream of 70 GPM @ 10PSI, 65 GPM @ 50 PSI, 45 GPM @ 100 PSI, and 35 GPM @ 125 PSI in difficult to access areas, as well as aid with drafting and water re-supply operations.
- I A useful piece of equipment for fire departments, industrial fire brigades, and even residential use, commercial marinas and more.



# High-Pressure Volume Pumps

#### **De-Watering Pumps**

Our Products are Designed for use in Fire and Emergency Environments



PFP-25hp-DSL 425 GPM @ 25 PSI 150 GPM @ 100 PSI 40 GPM @ 150 PSI



PFP-5hpHND-DW 200 GPM @ 10 PSI 100 GPM @ 35 PSI 15 GPM @ 60 PSI



PFP-38hpKHL-MF 475 GPM @ 25 PSI 240 GPM @ 100 PSI 135 GPM @ 150 PSI



PFP-14hpKHL-1D 375 GPM @ 5 PSI 200 GPM @ 50 PSI 90 GPM @ 75 PSI



PFP-38hpKHL-2D 620 GPM @ 25 PSI 300 GPM @ 100 PSI 140 GPM @ 150 PSI





PFP-6hp-FL 265 GPM @ 5 PSI 125 GPM @ 15 PSI 75 GPM @ 20 PSI



PFP-13hpHND-FL 300 GPM @ 15 PSI 260 GPM @ 25 PSI 150 GPM @ 50 PSI



#### The Flow Starts Here Powerful, Portable, Pumps Since 1908


Call us at 800-567-2719

### Flow & PSI Chart

PUMP MODEL	MAX FLOW	25 PSI	I 50PSI	75PSI	100PSI	125PSI	150 PSI	175 SI	200PSI	225PSI	250PSI	300PSI	MAY DDESCUDE
DED OF THIS WAY				73731	100PSI	120PSI	150 PSI	1/5 81	200PSI	223421	250PSI	300PSI	MAX PRESSURE
PFP-2hpHND-M	85	55	25				5-1	•			1		75
PFP-5hpHND-DW	200	100	-		4	<u>-</u>	-	-	-	-	-	· (1)	45
PFP-6hp-FL	265	80		<b>)</b> -	-		0		- 6	FILE	<b>9</b> -)/		40
PFP-6hphND-EM-TW & M	75	65	65	60	45	35	-	-	-	-	-	-	150
PFP-9hpHND-EM-TW & M	75	65	60	60	55	40	7.	-	-	-			150
PFP-9hpHND-EM & M	250	200	140	100	60	-	٠	-	-	-	-	-	125
PFP-9hp-DSL (yanmar)	350	240	130	15	•	- 🧸	-	( - T		57/	-		90
PFP-10hp-DSL (hatz)	285	230	165	115	-	-	-	-	-	-	-	-	90
PFP-11hpHND-EM & M	290	250	190	120	80	-	-	\	-	-	-		120
PFP-11hpHND-EM-HP & M	135	115	100	90	65	45	35	20	5	-	-	-	205
PFP-13hpHND-FL	360	250	125	-	-	-	-	-	-	-	( ·		75
PFP-13hpHND-EM-HP80	230	190	140	100	60	-	-	-	-	-	-	-	120
PFP-14hpKHL-EM-1D & M	450	300	200	90	-	-	-	-	-	-	11		100
PFP-14hpKHL-EM-MR & M	240	215	170	130	105	45	-	-	-	-	-	-	140
PFP-18hpVGD-1D & CE	485	390	310	200	130	45	-	-	-	-	-	٠.	135
PFP-18hpVGD-2D & CE	540	370	250	150	90	15	-	-	-	-	-	-	130
PFP-18hpVGD-HP	150	125	115	110	100	80	70	55	45	35	20	4	305
PFP-18hpVGD-MR & CE	290	255	220	175	140	115	75	30	-	-	-	-	200
PFP-20hpHND-1D	570	470	375	285	130	-	-	-	-		-		110
PFP-20hpHND-2D	630	410	300	185	100	-	-	-	-	-	-	-	110
PFP-20hpHND-MR	300	260	240	210	180	150	125	100	60		-4	3	210
PFP-23hpVGD-1D & CE	550	455	350	260	160	-	-	-	-	-	-	-	120
PFP-23hpVGD-2D & CE	650	430	310	200	110	-	-	<b>6.</b>	1-14		-54	-	125
PFP-23hpVGD-MR & CE	300	275	265	225	195	170	150	120	80	30	-	-	240
PFP-25hpDSL-MR	315	305	300	280	230	190	145	105	-				190
PFP-25hp-DSL	675	420	315	245	145	100	40	-	-	-	-	-	160
PFP-38hpKHL-MF	680	515	430	380	300	240	180	125	50	4-6			220

We build our Skid Units with only the best components available on the market. Our Skid Units are built with many standard features and a multitude of options to choose from to customize your own unit. Finally, every single skid units is inspected and tested to make sure the product you receive meets your expectations.

- I CET designs, engineers and manufactures our skid units from the ground up
- I Customizable to meet your needs
- I ISO 9001 Certified
- Know-How + Dependability + Efficiency = solid product at an affordable price.







**Ready Pac** Features popular 6hp-Twin pump and is similar to Attack Pac, but without Booster Reel. Great for urban interface firefighting... car fires, dumpster fires and small room & contents fires.

Call us at 800-567-2719

# Delivery it Models









Attack Pac Sets the standard for Skid Unit mobile fire attack for firefighting agencies in more than 44 countries.




Forest Pac Great for Wild and Forestry fire fighting with larger capacity NFPA tank.



Skeeter Space Pac Small and nimble, great for firefighting/EMS use on ATV and UTV vehicles when navigating through large crowds of people at events, or in remote areas where pickup size trucks are too big to go through.









# BRUSH TRUCKS & QUICK ATTACK UNITS



- Solid / Affordable / Practical
- Available in Polybody or aluminum
- Customized & standard designs available





Call us at 800-567-2719



















No two CET Brush Trucks are exactly alike because no two fire departments are exactly alike. Highly customizable-CET makes our trucks to meet your fire departments specific needs.














# NO HYDRANTS, NO PROBLEM





Ų	ET bullus out own water talks to MTA staridards
	ranging in size from 50 gallons to 2,000 gallons.
	CET also custom builds tanks for OEM fire truck
	manufacturers worldwide.
Ø	

STANDARD TANK HEIGHT									
LENGTH	96"	78"	76"	72"					
150	15 1/2	21 1/4	21 3/4	23 3/4					
200	20	27 1/2	28 1/4	33 1/4					
225	22 1/4								
250	24 3/4	34							
300	29 1/4								
400	38								
500	46 7/8								



- Separate and distinct foam cells
- I Cuts down divided warranty responsibility between component suppliers who build only tanks
- I Tongue and Groove construction for better fit and finish
- All tanks spark tested before shipment
- I Top and bottom tank gauges for quality assurance when final assembly and welding are complete
- Foam outlet manifolds are assembled in the bottom of the foam tank for better gravity feed to proportioner(s)
- Take advantage of the innovative storage features now standard options
- Quality Control ISO 9001 Company







# **QUALITY BUILT WATER TANKS**

Call us at 800-567-2719

# LIMITED LIFETIME WARRANTY

**Know-How + Dependability + Efficiency = Solid products at affordable prices.** 













Sumps. Standard in all CET skid tanks



High speed CNC part production for quality form fit, finish and seal.



Exclusive ``tongue and groove`` sheet assembly for that Go-No-Go fit.



# **CUSTOM BUILT FOAM TRAILERS**

CET Fire Pumps manufactures a variety of foam trailers from 150 to 2,000 gallons. These versatile trailers are ideal for use in industrial, commercial, municipal and forestry environments. Foam trailers provide a very effective tool for airport fuel storage and power plant installations.

- Completely designed, engineered and manufactured by CET craftsmen
- ISO 9001 Certification
- Customizable to your specific needs
- Know-How + Dependability + Efficiency = solid product at an affordable price.
- Class A Foam and Class B Foam increases efficiency and conservation of water supply



1000 Gallons Foam Trailer



1000 Gallons Re-suplly Foam Trailer



A & B Foam Trailers with Two Monitors





**Dual Tote Foam Trailer** 





The Flow Starts Here Powerful, Portable, Pumps Since 1908

Call us at 800-567-2719











# **CUSTOM FLAT-BED GLIDER KITS**

CET manufactures portable pumps, skid units, brush trucks and more to allow fire departments to Adapt, Improvise & Extinguish fire in almost any scenario where hydrants are scarce and static water resources maybe all you have to work with. CET- Providing fire ground solutions since 1908

#### Advantages of A CET Glider Kit

- The Glider Kit package can be installed on a cab and chassis with supplied "U" bolts, Teflon "Dielectric" pads and brackets. This design allows the body and flatbed to withstand greater levels of stress that can distort other commercial style flat-beds. A truly "OFF ROAD" flatbed!
- A modular design allows removal from the chassis for major repair or mounting on a new chassis.
- Perfect for fire departments that have their own chassis
- Components are pre-assembled, pre-plumbed, pre-wired, and shipped to the OEM in a self-contained, tested unit.
- Perfect for OEM's, reduces "bay-time" as the CET Glider Kit can be installed in 24-48 hours. Mount, attach 4 "U" bolts, connect electrical and go fight fire





The Flow Starts Here Powerful, Portable, Pumps **Since 1908** Visit us at fire-pump.com

Call us at 800-567-2719

