



Ground Pounder™ (Classic) Coat Features and Benefits



- 3½" high Alpine style collar. Front zipper extended closure; encased with internal and external flap. 3" hanger loop at neck.
- Flame resistant label sewn down on four sides facilitates tracking and identification through barcoding, sequential numbering and personalization.
- Double pull Zytel FR50 Delrin zipper with Nomex tape extends to top of collar. Self-fabric storm flap covers zipper and secures shut with intermittent hook and loop system.
- Raglan designed sleeve allows for ease of movement.
- Gusseted sleeve cuff incorporates a multiple closure system of adjustable hook and loop tabs.
- Radio pocket on left chest with hook and loop flap closure. Microphone holder loop is set above the pocket flap.
- Two 8" wide x 8-1/2" high expandable pockets patch pockets. Flap closure secured closed with hook and loop.
- 2" wide 3M™ Scotchlite™ Flame Resistant Retro Reflective Lime/Yellow with silver stripe (triple trim) is sewn around arms, and across upper back.
- U.L. Classified to meet or exceed NFPA 1977 standard on Protective Clothing and Equipment for Wildland Fire Fighting (Current Edition).
- Requirements for Cal-OSHA Title 8 GISO Sections 3406 (c)(1) and/or 3410(d)(1).

PGI Part 5501872-C4: 9 oz. Ultra Soft – Yellow
PGI Part 5500272-C4: 6 oz. Nomex IIIA – Yellow
PGI Part 5501672-C4 7 oz. Tecasafe Plus – Yellow

Additional Colors Available – Call PGI, Inc. for a Quotation: 800-558-8290



Ground Pounder™ (Classic) Pant Features and Benefits

- Self-material waistband with elastic back and self fabric take-up straps on each side with black carbon steel ladder buckle to allow 4" waist adjustment.
- Zytel FR50 Delrin zipper with Nomex tape front fly closure is double-needle lockstitch set for extra strength and durability.
- Front pockets have permanently flame resistant pocket bags and are extra deep and contoured.
- Two rear patch style pockets with hook and loop flap closure.
- Two large cargo pockets with pleat on front of pocket are located at the mid-thigh and secured with hook and loop flap closure.
- Leg outseams and seat seams are sewn with five-thread safety stitch ... then top stitched with a double-needle lockstitch to eliminate seam failure.
- Multiple cuff closure system comprised of hook and loop tabs through metal box ring to adjust take up.
- Flame resistant Label sewn down on four sides facilitates tracking and identification through barcoding, sequential numbering and personalization.
- U.L. Classified to meet or exceed NFPA 1977 standard on Protective Clothing and Equipment for Wildland Fire Fighting (Current Edition).
- Requirements for Cal-OSHA Title 8 GISO Sections 3406 (c)(1) and/or 3410(d)(1).



PGI Part 7501872-C4: 9 oz. Ultra Soft – Yellow
PGI Part 7500272-C4: 6 oz. Nomex IIIA – Yellow
PGI Part 7501672-C4 7 oz Tecasafe Plus – Yellow

Additional colors available: Call for quotation



Ground Pounder™ (Classic) Jumpsuit Features and Benefits



- 3½" high Alpine style collar. 3" hanger loop at neck.
- Flame resistant label sewn down on four sides facilitates tracking and identification through barcoding, sequential numbering and personalization.
- Two-way self-locking Zytel FR50 Delrin zipper with Nomex tape extends to top of collar and is lockstitch set for extra strength and durability. Self-fabric storm flap covers zipper and secures shut with intermittent hook and loop system.
- Raglan designed sleeve allows for ease of movement.
- Gusseted sleeve cuff incorporates a multiple closure system of adjustable hook and loop tabs.
- Radio pocket on left chest with hook and loop flap closure. Microphone holder loop is set above the pocket flap.
- Front pockets have permanently flame resistant pocket bags and are extra deep and contoured.
- Two rear patch style pockets with hook and loop flap closure.
- Two large cargo pockets with pleat on front of pocket are located at the mid-thigh and secured with hook and loop flap closure.
- Leg outseams and seat seams are sewn with five-thread safety stitch ... then top stitched with a double-needle lockstitch to eliminate seam failure.
- Multiple cuff closure system comprised of hook and loop tabs through metal box ring to adjust take up.
- 2" wide Flame Resistant Retro Reflective Lime/Yellow with Silver Stripe (triple trim) is sewn around mid-bicep and across shoulders in back.
- U.L. Classified to meet or exceed NFPA 1977 standard on Protective Clothing and Equipment for Wildland Fire Fighting (Current Edition).
- Requirements for Cal-OSHA Title 8 GISO Sections 3406 (c)(1) and/or 3410(d)(1).
U.L. Classified to meet or exceed NFPA 1977 standard on Protective Clothing and Equipment for Wildland Fire Fighting (Current Edition).

PGI Part 6501872-C4: 9 oz. Ultra Soft – Yellow
PGI Part 6500272-C4: 6 oz. Nomex IIIA – Yellow
PGI Part 6501672-C4 7 oz. Tecasafe Plus – Yellow
Additional colors available: Call for quotation

We continually strive to improve our products therefore may make minor adjustments to features or components. This would be subject to change without prior notice. Contact PGI, Inc. at 1-800-558-8290 to ensure you have the latest design information.



Smokechaser Field™ (Deluxe) Coat Features and Benefits



- Four inch high Alpine style collar can be worn folded down to allow venting or zipped up to completely cover neck providing additional protection from heat and flame. Unlike conventional Wildland coats no bulky throat strap and closure system required. Hanger loop at neck.
- Flame resistant Label sewn down on four sides facilitates tracking and identification through barcoding, sequential numbering and personalization.
- Seamless shoulders eliminate bulky seams and allow maximum mobility while reducing wear and seam pressure under weight of a pack harness.
- Double pull Zytel FR50 Delrin zipper with Nomex tape is covered by storm-flap with intermittent hook/loop closures.
- Radio pocket with hook/loop flap closure and microphone holder loop is set above the pocket flap.
- Cell phone pocket with hook and loop flap closure on right chest and D-ring at bottom for hanging gloves or gear.
- Radial sleeve design allows full arm movement and assures “no hike” fit when arms are raised over shoulders.
- Articulated elbows promote freedom of movement as well as a more contoured fit.
- Adjustable cuffs incorporate hook/loop tab closure for easy adjustment even when wearing gloves. Partially elasticized wrist allows cuff to be tightly secured without impeding circulation or movement.
- Gusset at cuff has secondary hook/loop strip allowing cuff to be opened to its fullest extent for maximum ventilation or to allow glove cuff to be tucked inside.
- Large cargo hip pockets with hook/loop flap closures expand for extra storage capacity and have built-in hand warmer compartments. Right cargo pocket has ¾” wide nickel-plated swivel snap hook attached to 6” self-fabric strap. Snap hook sewn to inside of pocket. Strap allows it to be pulled out for easy accessibility. Perfect for securing key rings or other valuables.
- 3M™ Scotchlite™ Flame Resistant Retro Reflective Lime/Yellow two inch wide Triple Trim sewn around arms, bottom and across shoulders in back
- U.L. Classified to meet or exceed NFPA 1977 standard on Protective Clothing and Equipment for Wildland Fire Fighting (Current Edition). Requirements for Cal-OSHA Title 8 GISO Sections 3406 (c)(1) and/or 3410(d)(1).

PGI Part 5501872: 9 oz. Ultra Soft – Yellow

PGI Part 5500272: 6 oz Nomex IIIA – Yellow

PGI Part 5501672: 7 oz. Tecasafe Plus - Yellow

PGI Part 5500972: 7 oz. Advance – Yellow

Additional colors available. Call PGI, Inc. at 800-558-8290 for additional information or quotation



Smokechaser Field™ (Deluxe) Pant Features and Benefits



- Self material waistband with elasticized back has seven belt loops wide enough to accommodate a two inch wide belt.
- Flame resistant Label sewn down on four sides facilitates tracking and identification through barcoding, sequential numbering and personalization.
- Corrosion-resistant carbon steel ladder buckle at waist with self fabric take-up straps allow a generous four-inch waist adjustment.
- Corrosion-resistant brass snap at waist is fabric backed so no metal touches skin.
- Zytel FR50 Delrin zipper with Nomex tape front fly closure is double-needle lockstitch set for extra strength and durability.
- Welt-style rear pockets have spade-style flaps with color coordinated hook and loop closures.
- Front slash-style pockets have extra deep contoured pocket bags and spade-style flaps with color-coordinated hook and loop closures to keep contents from falling out.
- Zytel FR50 Delrin zippers with Nomex tape at side access is lockstitch set allowing easy access to undergarments.
- Over-sized mid-thigh cargo pockets have hook and loop flap closures and are expandable for extra storage capacity.
- Leg outseams and seat seams are sewn with five-thread safety stitch . . . then top stitched with a double-needle lockstitch to absolutely eliminate seam failure.
- Articulated knees promote freedom of movement as well as a more contoured fit.
- Gusseted leg has multiple cuff closure system comprised of 14" Zytel FR50 Delrin zippers with Nomex tape, elastic and hook/loop tab closure to adjust the take-up. Partially elasticized cuffs allow cuffs to be tightly secured without impeding circulation or movement.
- 3M™ Scotchlite™ Flame Resistant Retro Reflective Lime/Yellow two inch wide Triple Trim sewn around legs between knees and cuffs.

PGI Part 7501872: 9 oz. Ultra Soft – Yellow
PGI Part 7500272: 6 oz Nomex IIIA – Yellow
PGI Part 7501672: 7 oz. Tecasafe Plus - Yellow
PGI Part 7500972: 7 oz. Advance – Yellow.

U.L. Classified to meet or exceed NFPA 1977 standard on Protective Clothing and Equipment for Wildland Fire Fighting (Current Edition).

Requirements for Cal-OSHA Title 8 GISO Sections 3406 (c) (1) and/or 3410(d) (1).

Additional colors available: Call PGI, Inc. for quotation 1-800-558-8290.



Smokechaser (Deluxe) Field™ Jumpsuit Features and Benefits



PGI Part 6501872: 9 oz. Ultra Soft – Yellow
PGI Part 6500272: 6 oz Nomex IIIA – Yellow
PGI Part 6501672: 7 oz. Tecasafe Plus - Yellow
PGI Part 6500972: 7 oz. Advance – Yellow

Additional colors available. Call PGI, Inc. at 800-558-8290 for additional information or quotation

The Smokechaser (DELUXE™) Jumpsuit has the best features of our Smokechaser (DELUXE) Coat and Pant combined into one. Meticulously engineered to provide unrestricted freedom of movement and unsurpassed comfort and protection. Complete protection in a convenient one-piece jumpsuit.

- Generous cut for comfort, ease of movement and layering.
- Ergonomic sculptured design for a more contoured fit.
- Articulated elbows and knees promote freedom of movement.
- Radial sleeve design – full–reach gusseted underarm panels for mobility.
- Seamless shoulders eliminates seam pressure points when wearing back pack.
- Full length two-way self-locking zipper front closure extends to the top of the collar and is covered by a self-fabric storm flap which secures shut with five intermittent spaced hook and loop closure system.
- Alpine collar can be worn open to allow venting or zipped up to completely cover neck for additional protection from flame and heat.
- Elasticized waistband with adjustable side take-up straps allow 4” waist adjustments.
- Radio pocket on left chest with hook and loop flap closure and mic holder loop set above flap.
- Cell phone/pager pocket on right breast with hook and loop flap closure and D-Ring loop at pocket bottom for hanging gear or gloves.
- Extra deep front slash pockets with hook and loop flap closures to keep contents secure.
- Zippered side seam pass-through trouser access openings. Two oversized bellowed cargo pockets on thighs expand to give you plenty of storage capacity and secure close with hook and loop flap closures. Right pocket has strap with swivel snap hook attached – perfect for securing key rings or other valuables
- Two large rear pockets with hook and loop flap closures.
- Gusseted sleeve cuffs are elasticized and have adjustable hook and loop closures allowing ventilation when open or can be tightly secured without impeding circulation or movement.
- Gusseted leg cuffs are elasticized and have adjustable hook and loop closures allowing ventilation when open or can be tightly secured without impeding circulation or movement.
- Extra-long leg zippers allow easy donning and doffing with boots on.
- All zippers super tough, flame resistant Zytel® Nylon which is stronger and lighter than metal and self-lubricating to avoid sticking and crimping.
- 2” wide Flame Resistant Retro Reflective Lime/Yellow with Silver Stripe (triple trim) is sewn around mid-biceps, across shoulders in back, and around legs at mid-calf.
- Hanger loop at inside neck.
- Flame resistant Label sewn down on four sides facilitates tracking and identification through barcoding, sequential numbering and personalization.
- All points of stress bartacked.
- Sewing throughout done with heavy-weight 100% Nomex thread.
- Meets or exceeds NFPA 1977 Standard on Protective Clothing and Equipment for Wildland Fire Fighting (Current Edition).
- Compliant with NFPA 70E (Current Edition) – Meeting the performance specifications of ASTM – F-1506 for wearing apparel used by electrical workers exposed to arc and related thermal exposures.
- Meets CAL-OSHA Requirements – Passes Fed. Test 191, Method 5903.2; CAL-OSHA Sections 3406(d).
- Complies with OSHA Rule 29 CFR Part 1910, 269.

We continually strive to improve our products therefore may make minor adjustments to features or components. This would be subject to change without prior notice. Contact PGI, Inc. at 1-800-558-8290 to ensure you have the latest design information.



CLASSIC FIRELINE™ SHIRT/JACKET

Designed in accordance to the U.S. Forest Service Specifications. Generously patterned to allow unrestricted range of motion and comfort. Can be worn by itself as a shirt or layered over your favorite tee as a lightweight jacket.



CLASSIC FIRELINE™ SHIRT/JACKET Features

- Available in Yellow - 6 oz. Nomex IIIA, Yellow 7 oz. Ultra Soft or 7 oz. Tecasafe Plus.
- Generous cut to allow unrestricted range of motion, comfort and the ability to layer underneath.
- Flame resistant label sewn down on four sides facilitates tracking and identification through barcoding, sequential numbering and personalization.
- Large breast pockets with hook and loop flap closures.
- Adjustable hook and loop cuff closures which can be worn open for ventilation or secured tightly over gloves when battling a blaze.
- Yellow heavy duty flame resistant melamine button front closures.
- Extra-long square cut tails allow shirt/jacket to be worn either tucked in like a shirt or out like a lightweight jacket.
- Lined collar for better appearance and protection.
- All points of stress are bartacked.
- Heavy weight Nomex thread used throughout.
- Meets or exceeds NFPA 1977 Standard on Protective Clothing and Equipment for Wildland Fire Fighting (Current Edition).
- Compliant with NFPA 70E (Current Edition) – Meeting the performance specifications of ASTM – F-1506 for wearing apparel used by electrical workers exposed to arc and related thermal exposures.
- Meets CAL-OSHA Requirements – Passes Fed. Test 191, Method 5903.2; CAL-OSHA Sections 3406(d).

- Complies with OSHA Rule 29 CFR Part 1910, 269.



DOUBLE DUTY BDU STYLE PANT - Dual Classified

**NFPA 1975: STANDARD ON STATION/WORK UNIFORMS FOR EMERGENCY SERVICES,
CURRENT EDITION**

**NFPA 1977: STANDARD ON PROTECTIVE CLOTHING AND EQUIPMENT FOR WILDLAND FIRE
FIGHTING, CURRENT EDITION**

- Self-material waistband with elastic back has seven belt loops wide enough to accommodate a two inch wide belt and allows for freedom of movement and optimum comfort.
- ZYTEL FR50 Delrin zipper with Nomex tape front fly closure is lockstitch set for extra strength and durability.
- Corrosion-resistant brass snap at waist is fabric backed so no metal touches skin.
- Front slash pockets.
- Two rear patch style pockets with hook and loop flap closure.
- Self fabric reinforced crotch panel is double-needle set for durability.
- Two large pleated cargo pockets are located at the mid-thigh with hook and loop flap closure.
- Leg outseams are sewn with five-thread safety stitch- then top stitched with a double-needle lockstitch to eliminate seam failure.
- Cuff closure system comprised of hook and loop tab through metal box ring to adjust take up.
- All sewing done with Nomex Thread. Stitches average 9-10 stitches per inch. Assembly seams are overredged plus chain stitched. Single and Double-needle operations are lock-stitched.
- Flame resistant label sewn down on four sides facilitates tracking and identification through barcoding, sequential numbering and personalization.



PGI Part 7500272-C9: 6 oz. Nomex IIIA – Yellow
PGI Part 7501672-C9 7 oz Tecasafe Plus – Yellow
PGI Part 7501684-C9 7 oz Tecasafe Plus – Navy Blue
Additional Colors Available – Call PGI, Inc. 800-558-8290 for more information and quotation.